
Without Policy (High)



Option A: Signalised Junctions Only





Option C: Bus & Freight Lane Diff AM Peak 2041 Avg. Network Speed (mph) 10 -5 Without Policy Avg. Trip Duration 07:38 +02:25 07:30 - 08:30**Completed Trips** 10,548 +14 Speed (mph) 0 - 5 5 - 10 10 - 15 15 - 20 20 - 60 Hareness Roundabout Souter Head Roundabout Journey Times Wellington Road Bus **HGV** Car Diff vs Do Minimum Northbound -02:15 +04:32 +05:17 Diff vs Do Minimum Southbound +00:41 +00:59 +01:03 +40% -18% +47% % Diff vs Do Minimum Northbound

% Diff vs Do Minimum Southbound

+10%

+10%

+11%

Option D: Additional Bus Lane Diff AM Peak 2041 Avg. Network Speed (mph) 11 -3 Without Policy Avg. Trip Duration 06:42 +01:29 07:30 - 08:30**Completed Trips** 10,537 43 Speed (mph) 0 - 5 5 - 10 10 - 15 15 - 20 20 - 60 Hareness Roundabout Souter Head Roundabout Journey Times Wellington Road Bus **HGV** Car Diff vs Do Minimum Northbound -02:06 +03:10 +02:38 Diff vs Do Minimum Southbound +00:17 +00:35 +00:34 % Diff vs Do Minimum Northbound +28% -17% +23%

% Diff vs Do Minimum Southbound

+6%

+6%

+4%

Option E: Bus Pre-Signals Diff AM Peak 2041 Avg. Network Speed (mph) 11 -3 Without Policy Avg. Trip Duration 06:52 +01:39 07:30 - 08:30**Completed Trips** 10,525 -9 Speed (mph) 0 - 5 5 - 10 10 - 15 15 - 20 20 - 60 Hareness Roundabout Souter Head Roundabout Journey Times Wellington Road HGV Bus Car Diff vs Do Minimum Northbound -01:47 +03:27 +02:58 Diff vs Do Minimum Southbound +00:13 +00:22 +00:19 % Diff vs Do Minimum Northbound -14% +30% +26% % Diff vs Do Minimum Southbound +3% +4% +4%


Option F: Bus Pre-Signals and Bus Lane




Option G: Bus Pre-Signals and Bus & Freight Lane




Option H: Bus Pre-Signals and Additional Bus Lane











^{**} Wellington Road/Charleston Road North – Wellington Road/Craig Place

** Wellington Road/Balnagask Road – Souter Head Roundabout

HGV & Car Routes: Wellington Road/Old Wellington Road – Wellington Road/Craig Place

Option A: Signalised Junctions Only


Inter Peak 2041 Without Policy 09:00 – 16:00

Avg. Network Speed (mph)	20	-1
Avg. Trip Duration	03:57	±
Completed Trips	51,578	+2

Speed (mph) — 0 - 5 — 5 - 10 — 10 - 15 — 15 - 20 — 20 - 60 Souter Head Roundabout

Journey Times Wellington Road

	Bus	HGV	Car
Diff vs Do Minimum Northbound	-00:02	+00:09	+00:08
Diff vs Do Minimum Southbound	+00:02	+00:03	+00:08
% Diff vs Do Minimum Northbound	+0%	+2%	+2%
% Diff vs Do Minimum Southbound	+0%	+0%	+2%



Option C: Bus & Freight Lane Only




% Diff vs Do Minimum Southbound


+2%

+0%

+1%

Option D: Additional Bus Lane Inter Peak 2041 Without Policy 09:00 – 16:00





Journey Times Wellington Road

	Bus	HGV	Car
Diff vs Do Minimum Northbound	-00:14	+00:13	+00:09
Diff vs Do Minimum Southbound	+00:01	+00:02	+00:08
% Diff vs Do Minimum Northbound	-2%	+3%	+2%
% Diff vs Do Minimum Southbound	+0%	+0%	+2%

Option E: Bus Pre-Signals Only Diff Inter Peak 2041 Avg. Network Speed (mph) 20 0 Without Policy 03:53 +00:03 Avg. Trip Duration 09:00 - 16:00**Completed Trips** 51,562 -14 Speed (mph) 0 - 5 5 - 10 Hareness Roundabout 10 - 15 **15 - 20** 20 - 60 Souter Head Roundabout


Journey Times Wellington Road

		Bus	HGV	Car
	Diff vs Do Minimum Northbound	-00:10	+00:12	+00:10
	Diff vs Do Minimum Southbound	+00:04	+00:01	+00:08
%	Diff vs Do Minimum Northbound	-2%	+3%	+2%
%	Diff vs Do Minimum Southbound	+1%	+0%	+1%

Option F: Bus Pre-Signals and Bus Lane





Option G: Bus Pre-Signals and Bus & Freight Lane





Option H: Bus Pre-Signals and Additional Bus Lane












Option A: Signalised Junctions Only






Option C: Bus & Freight Lane Only



Option D: Additional Bus Lane Diff PM Peak 2041 Avg. Network Speed (mph) 15 -2 Without Policy Avg. Trip Duration 05:29 +00:38 16:30 - 17:30**Completed Trips** 10,083 +8 Speed (mph) 0 - 5 Hareness 5 - 10 Roundabout 10 - 15 **15 - 20** 20 - 60 Souter Head Roundabout Journey Times Wellington Road HGV Bus Car Diff vs Do Minimum Northbound -00:26 -00:01 -00:01 Diff vs Do Minimum Southbound +01:37 +01:24 +02:06 % Diff vs Do Minimum Northbound -4% -0% -0% % Diff vs Do Minimum Southbound +20% +21% +13%



Option F: Bus Pre-Signals and Bus Lane



Option G: Bus Pre-Signals and Bus Lane



Option H: Bus Pre-Signals and Additional Bus Lane



