



## Supplementary Guidance

### Topic: Householder Development Guide



## ▪ INTRODUCTION

Good quality design, careful siting and due consideration of scale are key to ensuring that domestic development does not erode the character and appearance of our residential areas. Poorly designed extensions and alterations to residential properties can have a significant impact on the character and appearance of a building which, when repeated over time, can have a significant cumulative impact upon the wider area. By ensuring that careful consideration is given to such works, and consistent standards applied, we can seek to retain the characteristics of the built environment which contribute towards the character and identity of an area, while also protecting the amenity enjoyed by residents.

## ▪ OVERALL OBJECTIVE

All extensions and alterations to residential properties should be well designed, with due regard for both their context and the design of the parent building. Such extensions and alterations should make a positive contribution to the design and appearance of a building, maintain the quality and character of the surrounding area, and respect the amenity of adjacent neighbours. This document seeks to facilitate good design and provide a sound basis for restricting inappropriate development, bringing together a number of existing pieces of supplementary guidance into a single document in the process.

## ▪ SCOPE OF GUIDANCE

The guidelines set out in this document shall apply, on a city-wide basis unless otherwise stated, to all domestic properties. In the case of dormer windows and roof extensions, the guidelines will also extend to originally residential properties now in non-domestic use. It should be noted that the guidance contained within this document will be applicable only to those development proposals which require an express grant of planning permission, and shall not apply where any proposal is exempted from the application process by virtue of relevant permitted development rights. Permitted Development is a term used for certain types of development which, by satisfying specified conditions, is automatically granted planning permission without the submission of an application to the planning authority.

This document supersedes existing supplementary guidance relating to '*Dormer Windows and Roof Extensions*', '*Dwelling Extensions in Aberdeen City*', '*Dwelling Extensions in Cove*' and '*Extensions forward of the Building Line*'. The guidelines set out in this supplementary guidance should, where relevant to the development proposal, be read in conjunction with the City Council's other published Supplementary Guidance and Technical Advice Notes.

## ▪ THE ROLE OF THE PLANNING SYSTEM

In coming to a decision on any planning application, the planning authority must determine that application in accordance with the development plan, unless '*material considerations*' indicate otherwise. At time of writing, the development plan comprises the Aberdeen Local Plan 2008 and the Aberdeen City and Shire Structure Plan 2009.

There are two main tests in deciding whether a consideration is material and relevant:

- It should serve or be related to the purpose of planning – it should therefore relate to the development and use of land; and
- It should fairly and reasonably relate to the particular application.

It is for the decision-maker to assess both the weight to be attached to each material consideration and whether individually or together they are sufficient to outweigh the provisions of the development plan. As a result of changes to the planning system, made through the 2006 Planning etc. (Scotland) Act and associated regulations, Supplementary Guidance prepared and adopted in connection with a Local Development Plan will form part of the development plan.

It should be noted that the planning system does not exist to protect the interests of one person against the activities of another, although in some cases private interests may well coincide with the public interest. In distinguishing between public and private interests, the basic question is whether the proposal would unacceptably affect the amenity and existing use of land and buildings which ought to be protected in the public interest, not whether owners or occupiers of neighbouring or other existing properties would experience financial or other loss from a particular development.

## ▪ STATUTORY REQUIREMENTS

The definition of "development" is set out in the Town and Country Planning (Scotland) Act 1997, as amended by the Planning etc (Scotland) Act 2006, and is termed as the carrying out of building, engineering, mining or other operations in, on, over or under land, or the making of any material change in the use of any buildings or other land. There are various exemptions to this, details of which can be provided by the planning authority.

Permitted Development rights set out in the Town and Country Planning (General Permitted Development) (Scotland) Order 1992, as amended. This document, commonly termed the 'Permitted Development Order' or 'PD Order', sets out various works which will not require an express grant of planning permission, provided those works are carried out in accordance with certain criteria. Where it is intended to utilise these rights, we encourage householders to seek confirmation from the planning authority before any works are carried out. The permitted development rights available to any

particular property can vary depending on factors such as location within a conservation area, removal of such rights by condition placed on a past approval, or removal of such rights by a virtue of an Article 4 direction. The effect of such a Direction is to remove permitted development rights, thereby necessitating submission of a formal application for planning permission. All of Aberdeen's Conservation Areas are covered by Article 4 Directions, with the exception of Rosemount and Westburn (Conservation Area 11). Article 4 directions also apply to areas of areas of Kingswells and Burnbanks, which lie outwith any Conservation Area. Please contact the planning authority for further details.

Taking into account the above, householders considering any works to land or property, should ask the following questions;

1. Do these works constitute 'development' as set out in planning legislation?
2. If the works constitute 'development', can they be carried out as 'Permitted Development'?

The answers to these questions will determine whether a planning application is necessary for any works, though it is recommended that the Council be consulted in order to ensure that any interpretation of legislation is correct.

In assessing planning applications, there are a number of duties incumbent upon Aberdeen City Council as the planning authority. These are duties set out in relevant planning legislation, and include the following;

**Listed Buildings** – The authority shall have special regard to the desirability of preserving the building or its setting or any features of special architectural or historic interest which it possesses.

**Conservation Areas** – With respect to buildings or land in a conservation area, special attention shall be paid to the desirability of preserving or enhancing the character or appearance of that area.

**Trees** – The planning authority shall, in granting planning permission for any development, ensure adequate provision is made for the preservation or planting of trees. Furthermore the authority shall make tree preservation orders (TPOs) as it considers to be necessary in connection with the grant of any such permission.

**Protected Species** – Where there is reason to believe that protected species may be located within or adjacent to a development site, the Planning Authority may deem it necessary for an application to be accompanied by additional supporting information in order to allow proper assessment of any likely impact as a result of development. For further guidance in relation to protected species, applicants should consult the City Council's published Supplementary Guidance on **Natural Heritage**; and **Bats and Development**.

Where works would affect a listed building, it may be necessary to apply for a separate consent for those works, called Listed Building Consent. This consent is independent from ordinary planning permission, and may be required in addition to planning permission. Where both consents are necessary, the applicant must obtain both consents before work can begin.

In assessing any application for Listed Building Consent, the emphasis is placed on preserving the historic character of the building(s) in question. Applications can be made online via the Scottish Government's e-planning website ([www.eplanning.scotland.gov.uk](http://www.eplanning.scotland.gov.uk)) or direct to Aberdeen City Council using the application forms available on our own website. For advice on whether Listed Building Consent will be necessary for your proposal, please contact Aberdeen City Council's Development Management section on 01224 523 470 or by email via [pi@aberdeencity.gov.uk](mailto:pi@aberdeencity.gov.uk). In considering proposals for Listed Building Consent, Conservation Area Consent or planning permission for development which may affect the historic environment, the planning authority will take into account Scottish Planning Policy (SPP), the Scottish Historic Environment Policy (SHEP) and the Managing Change in the Historic Environment guidance note series published by Historic Scotland.

Planning legislation requires that certain applications are advertised in the local press. Applications for Listed Building Consent or planning applications that affect the setting of a listed building will be advertised, while those located within a Conservation Area may be advertised depending on the potential impact of the proposal. There is no charge to the applicant in such instances. Advertisement is also required where it has not been possible to issue notification because there are no properties on adjacent land, and for this the cost will be borne by the applicant.

#### ▪ GENERAL PRINCIPLES


Elsewhere in this document, guidelines are set out in relation to specific types of development, such as house extensions, porches etc. In addition to those specific criteria, the following principles will be applied to **all** applications for householder development:

1. Proposals for extensions, dormers and other alterations should be architecturally compatible in design and scale with the original house and its surrounding area. Materials used should be complementary to the original building. Any extension or alteration proposed should not serve to overwhelm or dominate the original form or appearance of the dwelling.
2. Any extension or alteration should not result in a situation where amenity is 'borrowed' from an adjacent property. Significant adverse impact on privacy, daylight and general residential amenity will count against a development proposal.

3. Any existing extensions, dormers or other alterations which were approved prior to the introduction of this supplementary guidance will not be considered by the planning authority to provide justification for a development proposal which would otherwise fail to comply with the guidance set out in this document. This guidance is intended to improve the quality of design and effectively raise the design standards and ground rules against which proposals will be measured.
4. The built footprint of a dwelling house as extended should not exceed twice that of the original dwelling.
5. No more than 50% of the front or rear curtilage shall be covered by development.

▪ **REAR & SIDE EXTENSIONS**


In addition to the design considerations noted above, the planning authority shall continue to apply guidelines relating to specific types of dwellings, as follows. Where dimensions are stated for projection of extensions, these should be measured from the rearmost original part of the main building, and should not include any store or outhouse which did not originally contain any internal living accommodation. Where an extension is proposed as part of a steading conversion, the proposal will be assessed primarily against the Council’s published Supplementary Guidance on *‘The Conversion of Steadings and other Non-residential Vernacular Buildings in the Countryside’*.



**1. Detached Dwellings**

- a) The maximum dimensions of any single-storey extension will be determined on a site-specific basis.
- b) On detached properties of 2 or more storeys, two storey extensions will generally be possible, subject to the considerations set out in the ‘General Principles’ section, above.


## 2. Semi-detached Dwellings



- a) Single storey extensions will be restricted to 4m in projection along the boundary shared with the other half of the semi-detached property. In all other cases, the maximum size of single storey extension will be determined on a site-specific basis, with due regard for the topography of the site and the relationship between buildings.

- b) On properties of 2 or more storeys, two storey extensions may be possible, subject to the design considerations set out in the 'General Principles' section, above. The projection of two-storey extensions will be restricted to 3m along the boundary shared with the other half of the semi-detached property.


## 3. Conventional Terraced Dwellings



- a) Single storey extensions to terraced dwellings will be restricted to 3m in projection along a mutual boundary.
- b) Two storey extensions will normally be refused where the proposal runs along a mutual boundary. There will generally be limited scope for the addition of two-storey extensions to terraced properties.

- c) Proposals for extensions to end-terrace properties will be subject to these standards unless it can be demonstrated that the specific circumstances of the site and the proposal justify a departure from the above.

## 4. Grouped Terraces



- a) Extensions should not project forward of any established building line
- b) Single-storey extensions to group terrace properties will be restricted to 3m in projection from the rear wall of the original dwelling
- c) Two-storey extensions to grouped terrace properties will not normally be acceptable

## ▪ FRONT EXTENSIONS / PORCHES

The Council has developed the practice, when considering proposals for porch extensions in front of a formal building line, of limiting such structures to the minimum size necessary for protection from storms.

The practice which has become established is intended to preserve the consistent architectural form of a terrace, maintain an uncluttered street scene and to ensure that light and prospect are not lost to neighbouring properties. Recent changes to permitted development legislation allow the construction of porches in certain prescribed instances. In assessing applications of this nature, the following will apply;

a) Front extensions of any type should be of a scale and design which is complementary to, and consistent with, the original dwelling. Modest porches will generally be acceptable, but these should not incorporate additional rooms (e.g. toilet, shower room), and should not detract from the design of the original building or the character of the street.

b) In all cases, careful consideration will be given to (i) impact on adjacent property; (ii) visual impact; and (iii) the extent of any building line and the position of the adjacent buildings generally.

c) Within a Conservation Area, it will not be permitted to add a front extension to any property which forms part of an established building line.

d) Given the wide variety of house types across the city and the existence of 'dual-frontage' dwellings, it will be for the planning authority to determine which elevation forms the principal elevation of a dwelling for the purposes of this guidance.

e) It may be permissible to incorporate bay windows on front elevations, subject to an appropriate restriction in depth and an acceptable design outcome which will complement the original property. The design and scale of such extensions should reflect that of the original dwelling, and should not be utilised as a means to secure significant internal floorspace.

f) Any front extension should incorporate a substantial proportion of glazing, in order to minimise its massing and effect on the streetscape.



## ▪ DORMER WINDOWS AND ROOF EXTENSIONS

Recent changes to the Permitted Development rights available to householders allow for the addition of dormer windows (subject to criteria regarding position in relation to a road, distance from site boundaries etc) to properties outwith Conservation Areas. Nevertheless, such alterations can have a significant impact upon the character of a property and the wider streetscape, and so careful consideration of proposals remains important.

As a basic principle, new dormer windows or roof extensions should respect the scale of the building and they should not dominate or tend to overwhelm or unbalance the original roof. The purpose of this design guide is to assist those intending to form, alter or extend dormer windows in their property, in formulating proposals which are likely to be considered favourably by the planning authority. Situations may arise where the extent of new dormers or roof extensions will be considered excessive. There may also be situations where any form of roof extension or dormer will be considered inappropriate e.g. on a very shallow pitched roof with restricted internal headroom. It is recommended therefore that advice from the planning authority is obtained before submitting a formal application for any consent.

A series of general guidelines are outlined below, and are followed by further guidelines which will be applied to older properties of a traditional character and modern properties respectively.



Above: Examples of the variety of dormer types to be seen around Aberdeen

Below: Situation where roof pitch is too shallow to comfortably accept any type of dormer or roof extension



Example of a poorly designed roof extension – Dormers are too large, dominating the roof slope, and use of substantial infill panels and slated aprons contributes to bulky appearance

### **Dormer Windows: General Principles**

The following principles will normally apply in all cases:


- a) On traditional properties, original dormers must be retained and repaired, and their removal and/or replacement with larger or modern dormers will not be permitted;
- b) The removal of inappropriate earlier dormers and roof extensions, and their replacement by architecturally and historically accurate dormers will be actively encouraged;
- c) In terraces or blocks of properties of uniform design where there are no existing dormers, the construction of new dormers will not be supported on the front or other prominent elevations (e.g. fronting onto a road);
- d) On individual properties or in terraces where there are existing well-designed dormers and where there is adequate roof space, the construction of new dormers which match those existing may be acceptable. Additional dormers will not be permitted however, if this results in the roof appearing overcrowded. These dormers should be closely modelled in all their detail and in their position on the roof, on the existing good examples. They will normally be aligned with windows below;
- e) Box dormers will not be permitted anywhere on listed buildings, nor will the practice of linking existing dormers with vertical or inclined panels; and
- f) In the case of non-listed buildings in conservation areas, consideration may be given to the provision of linked panels between windows on the private side of the building, where the extension is not seen from any public area or is otherwise only visible from distant view. In such cases any linked panel should slope at a maximum of 75° to the horizontal.

Non-traditional style dormers may be accepted on the rear of non-listed buildings in conservation areas, but generally not on the rear or any other elevations of listed buildings.

## **Dormer Windows: Older properties of a traditional character**

### **1. Front Elevations**

- a) On the public elevations of older properties the Council will seek a traditional, historically accurate style of dormer window. In addition, all new dormers will have to be of an appropriate scale, i.e. a substantial area of the original roof must remain untouched and clearly visible around and between dormers. The main principles to be followed are:
- b) Existing original dormers should be retained or replaced on a "*like for like*" basis. Box dormer extensions will not normally be acceptable on the front elevations;
- c) The aggregate area of all dormers and/or dormer extensions should not dominate the original roof slope. New dormers should align with existing dormers and lower windows and doors;
- d) The front face of dormers will normally be fully glazed and aprons below the window will not be permitted unless below a traditional three faceted piended dormer;
- e) Dormers should not normally rise directly off the wallhead. In the case of stone buildings, dormers which rise off the inner edge of the wallhead will generally be acceptable. The position of the dormer on the roof is very important. Dormers which are positioned too high on the roof give the roof an unbalanced appearance
- f) The outer cheek of an end dormer should be positioned at least 700mm in from the face of the gable wall or 1000mm from the verge. Where there is tabling on top of the gable, the cheek should be at least 400mm in from the inside face of the tabling. It is never acceptable for a dormer haffit to be built off the gable or party wall; and
- g) The ridge of any new dormer should be at least 300mm below the ridge of the roof of the original building. If it is considered acceptable for the dormer ridge to be higher than this, it should not nevertheless, breach the ridge or disturb the ridge tile or flashing.




Piended dormers on typical Aberdeen tenement (linking dormers not acceptable on front elevations)

## 2. Rear Elevations and Exceptions

The guidelines for older properties may be relaxed where a property is situated between two properties which have existing box dormer extensions, or in a street where many such extensions have already been constructed. They may also be relaxed on the non-public (rear) side of a property. In such cases, and notwithstanding the design and finish of neighbouring development, the following minimum requirements will apply:


- a) The aggregate area of all dormer and/or dormer extensions should not dominate the original roof slope;
- b) Dormer haffits should be a minimum of 400mm in from the inside face of the gable tabling;
- c) The front face of dormer extensions should be a minimum of 400mm back from the front edge of the roof, but not so far back that the dormer appears to be pushed unnaturally up the roof slope.
- d) Flat roofs on box dormers should be a reasonable distance below the ridge;
- e) Windows should be located at both ends of box dormers;
- f) A small apron may be permitted below a rear window; and
- g) Solid panels between windows in box dormers may be permitted but should not dominate the dormer elevation.



Flat roofed box dormer (normally only acceptable on rear elevations)

### Dormer Windows: Modern Properties


- a) Dormers and box dormer extensions have become common features in many modern housing areas, and the wide variety of designs of modern dwellings necessitates a greater flexibility in terms of design guidance. The amenity of other properties and the residential neighbourhood must however, still be protected, with the integrity of the building being retained after alteration. The following basic principles may be used to guide the design and scale of any new dormer extension:
- b) The dormer extension should not appear to dominate the original roofspace.
- c) The dormer extension should not be built directly off the front of the wallhead as the roof will then have the appearance of a full storey. On public elevations there should be no apron below the window, although a small apron may be acceptable on the rear or non-public elevations. Such an apron would be no more than three slates high or 300mm, whichever is the lesser;



Dormer extension should not extend to or breach ridge (roof too shallow)

Dormer extensions should not be built off front of wall head or include apron


- d) The roof of the proposed extension should not extend to, or beyond the ridge of the existing roof, nor should it breach any hip. Dormer extensions cannot easily be formed in hipped roofs. Flat roofed extensions should generally be a minimum of 600mm below the existing ridge;
- e) The dormer extension should be a minimum of 600mm in from the gable. The dormer haffit should never be built off the gable or party walls, except perhaps in the situation of a small semi-detached house where the dormer extension may sometimes be built off the common boundary. In terrace situations, or where a detached or semi-detached bungalow is very long, dormer extensions should be kept about 1500mm apart (i.e. dormer haffits should be 750mm back from the mutual boundary) so as not to make the dormer appear continuous or near continuous;



Box dormer extension on small semi-detached house (in this case it is permissible to build up to the party wall). Dormers should not extend out to verge / roof edge.

- f) The outermost windows in dormer extensions should be positioned at the extremities of the dormer. Slated or other forms of solid panel will not normally be acceptable in these locations. In the exception to this situation, a dormer on a semi-detached house may have a solid panel adjacent to the common boundary when there is the possibility that the other half of the house may eventually be similarly extended in the foreseeable future. In this case the first part of the extension should be so designed as to ensure that the completed extension will eventually read as a single entity;
- g) There should be more glazing than solid on the face of any dormer extension.
- h) Box dormer extensions should generally have a horizontal proportion. This need not apply however, to flat roofed individual dormer windows which are fully glazed on the front;

- i) Finishes should match those of the original building and wherever possible the window proportion and arrangement should echo those on the floor below:
- j) The design of any new dormer extension should take account of the design of any adjoining dormer extension.




Flat roofed dormers on more traditional hipped roof house (Dormers should not breach hips. A pitched roof on this kind of dormer greatly increases its bulk). Extending roof to the gable on one side only is best avoided.


▪ **ROOFLIGHTS**

The installation of rooflights is a simple and cost effective method of allowing additional natural light and ventilation into an attic or roofspace. An excessive use of these rooflights can however, create visual clutter on a roof. Planning Permission is required for the installation of such rooflights on buildings in conservation areas and Listed Building Consent is required for proposals involving alteration of a listed building. When considering the installation of a rooflight, account should be taken of the following:-

a) A rooflight provides considerably more light than a normal vertical window of the same dimension. Many rooflights installed are consequently, larger and more numerous than is really necessary. In a roofspace used only for storage, the smallest rooflight will generally be adequate;



Small rooflights in the middle third of roof space and evenly spaced.



Rooflights too large and too close to eaves and verge. A variety of sizes, spacing and levels.

b) Rooflights should have a conspicuously vertical proportion. Seen from ground level, the foreshortening effect will tend to reduce the apparent height of the window, giving it a more squat appearance;


c) On older buildings, and particularly on listed buildings and buildings in conservation areas, a 'heritage' type of rooflight will be expected. This is of particular importance on public elevations. Even the addition of a central glazing bar to a rooflight can provide a more authentic appearance in such instances;

d) Large timber or cast iron rooflights divided into several sections were frequently provided above stairwells. It is not ideal to replace these with a single-pane modern rooflight. If the original rooflight cannot be repaired, aluminum or steel patent glazing is a more satisfactory option; and



- e) For rooflights fitted into slated roofs, manufacturers can provide a special flashing with their rooflights to keep the projection of the rooflight above the plane of the slates to a minimum.
- f) There are available metal roof windows which have an authentic traditional appearance whilst meeting current standards for insulation and draught exclusion.

- **OTHER FORMS OF DORMER WINDOW AND ROOF EXTENSION**



**Hipped roof extensions**

Modifying only one half of a hipped roof is likely to result in the roof having an unbalanced appearance. The practice of extending a hipped roof on one half of a pair of semi-detached houses to terminate at a raised gable will not generally be accepted unless;

- The other half of the building has already been altered in this way; **or**
- Such a proposal would not, as a

result of the existing streetscape and character of the buildings therein, result in any adverse impact on the character or visual amenity of the wider area.


**Half dormer windows**

Half dormer windows have the lower part of the window within the masonry wall, with the part in the roof space surrounded by masonry or timberwork. This type of window is usually quite narrow, vertical in proportion, and is appropriate when the floor is below the wall-head level.



**Wall-head gables**

A wall-head gable commonly has a centre window, with flues passing each side within the masonry to a common central chimney. It would be essential for any such feature to be constructed in the same material as the wall below. (Both half dormer window and wall-head gables have a strong visual impact which could substantially alter the character of a building. They are therefore, unlikely to be acceptable on listed buildings, but might be accepted in conservation areas or on other older buildings of a traditional character.)



**Mansard Roofs**

Mansard roofs are a common, even a somewhat overused method of obtaining additional attic floorspace having standard headroom overall. Mansard roofs tend to have a top heavy appearance on buildings which have only a single storey of masonry, and should be restricted to buildings of two or more masonry storeys. They will not normally be acceptable in semi-detached or terraced situations unless all the other properties in the

group are to be similarly altered at the same time. In effect, few situations will arise where an existing roof can readily be converted to a mansard roof.

On the occasions when a mansard roof solution is acceptable, considerable attention to detail is required to ensure that the altered roof is visually authentic. The following points should be observed:

- a) There should be no fascia at the eaves, nor should the mansard project forward of the masonry line;
- b) The mansard should be taken down to either a concealed lead gutter behind a masonry parapet, or to an "ogee" or half round cast iron gutter in line with the face of the masonry;
- c) The gables of the building should be extended up in the same material as the original gables, and should terminate at a masonry skew in the same profile as the mansard roof. It will not normally be acceptable to return the mansard roof across the gable with hipped corners;
- d) The lower slope of the roof should be inclined at no greater than 75° to the horizontal.

## ▪ OTHER DOMESTIC ALTERATIONS

### **Replacement Windows and Doors**

Windows and doors are important features of a building that contribute greatly to the character of the building and of the street in which the building stands. They are also increasingly subject to alteration or replacement. Householders are referred to the council's Supplementary Guidance entitled '*Guidance on the Repair and Replacement of Windows and Doors*'.

### **Satellite Dishes**

In all cases, microwave antennas should, as far as is practicable, be sited so as to minimise their visual impact and effect on the external appearance of a building. The cumulative effects of such seemingly minor additions can be significant, particularly within conservation areas and where installed on listed buildings. Permitted development rights exist for the installation of satellite dishes on dwellinghouses outwith Conservation Areas, provided any dish installed would not project more than 1m from the outer surface of an external wall, roof plane, roof ridge or chimney of the dwellinghouse.

For buildings containing flats, satellite dishes may only be installed without planning permission where the site;

1. Lies outwith any Conservation Area
2. Is not within the curtilage of a Listed Building
3. Would not protrude more than 1m from the outer surface of any wall, roof place, roof ridge or chimney.

Where planning permission is required for such works, the Council's duties in relation to listed buildings and conservation areas will be of relevance. Householders should also be aware that, irrespective of the Permitted Development rights set out above, a separate application for Listed Building Consent is likely to be required where installation is proposed within the curtilage of a listed building.

### **Decking**

Homeowners are often unaware that the formation of decking may require planning permission. It is therefore important to discuss any such proposals with the planning authority at an early stage to determine what consents may be necessary and to identify any potential issues with a proposal. The formation of decking will require planning permission in the following instances;

- Any part of the deck would be forward of a wall forming part of the principal elevation, or side elevation where that elevation fronts a road;
- The floor level of any deck or platform would exceed 0.5m in height;
- The combined height of the deck and any wall, fence, handrail or other structure attached to it, would exceed 2.5m;
- If located within a Conservation Area or within the curtilage of a Listed Building, the deck or platform would have a footprint exceeding 4 square metres

Raised decking can in many cases provide a desirable outdoor amenity space, but the impact upon adjacent properties should be given careful consideration. The raised surface of a deck may result in overlooking into neighbouring gardens and a consequent loss of privacy. Equally, enclosing raised decks with additional fencing can result in neighbours being faced with excessively tall boundary enclosures which can affect light in neighbouring gardens.

The following guidelines will be relevant to the assessment of proposals involving raised decking areas;

- a) Proposals should not result in an unacceptable loss of privacy for neighbouring residents.
- b) Proposals should not result in an adverse impact upon the amenity of adjacent dwellings, including both internal accommodation and external private amenity space.
- c) There will be a presumption against the formation of decking to the front of any property, or on any other prominent elevation where such works would adversely affect the visual amenity of the street scene.

## **Fences, Walls and Other Boundary Enclosures**

Boundary enclosures such as fences, gates and walls may not require planning permission, due to the permitted development rights which exist.

- a) Planning permission will always be required for such works to a listed building, or within the curtilage of a listed building.
- b) Planning permission will always be required for such works within a Conservation Area.
- c) Conservation Area Consent may be necessary for the demolition of boundary walls with conservation areas.
- d) In all instances, the scale and form of boundary enclosures should be appropriate to their context and should not detract from the street scene as a result of inappropriate visual impact.
- e) In all instances, proposals for boundary enclosures should not result in an unacceptable impact upon the amenity of neighbouring dwellings.

## **Driveways**

The Council's Supplementary Guidance on *'Transport and Accessibility'* provides guidance on situations where planning permission will be required for such works. This guidance also sets out criteria by which applications for parking areas in Conservation Areas and within the curtilage of Listed Buildings will be assessed.

Planning permission will be required in the following circumstances;

- The property is a flat;
- Construction work involves over 0.5 metres of earthworks (excavation or raising of ground level);
- The verge to the footway has grass over 2.5 metres wide;
- The driveway accesses on to a classified road;
- The property is a listed building or is situated in a conservation area.

Permission will not be granted for a driveway across an amenity area or roadside verge unless it would have no detrimental impact in road safety and would have no adverse effect on the amenity of the area (e.g. involves the loss of mature or semi-mature trees).

For more detailed guidance on proposals involving the formation of a driveway, please consult sections 8 and 9 of the Council's *'Transport and Accessibility'* Supplementary Guidance.

## **Microrenewables**

The term 'micro-renewables' refers to all forms of domestic micro-generation utilising a renewable form of energy. These come in a number of forms, and are increasingly common as the relevant technology evolves and becomes more widely available, efficient, and reliable.

The planning authority aims to encourage the use of micro-renewable technologies within the curtilage of domestic dwellinghouses. Careful consideration is required in relation to their positioning, however, in order to avoid undue prominence within the street scene, particularly within conservation areas and where proposals may affect the setting of a listed building. Installation of such equipment can in many cases be carried out by virtue of Permitted Development rights, which allow for improvements and alterations to dwellinghouses and other works within the curtilage of a dwellinghouse, provided the site is located outwith any designated Conservation Area and does not involve works within the curtilage of a Listed Building. At present there are no permitted development rights available for domestic microgeneration via the installation of wind turbines on a dwellinghouse. In most circumstances, planning permission will be required for the installation of wind turbines elsewhere within the curtilage of a domestic property.

#### ▪ **CHANGE OF USE FROM AMENITY SPACE TO GARDEN GROUND**

Amenity space and landscaping are valued assets within residential areas. They are common features in most housing developments and are provided for a number of reasons including –

- to improve the appearance of the area;
- to provide wildlife habitats, enhance ecology and often form part of sustainable urban drainage systems;
- to act as pedestrian routes through developments;
- to provide informal recreation areas;
- to provide good safety standards for drivers, cyclists and pedestrians in terms of road verges or visibility splays.

Many homeowners seek to purchase areas of such land from either the Council or a housing developer to enlarge their own gardens. In all circumstances this requires planning permission for a change of use from amenity ground to garden ground.

Prior to submitting a planning application it is advisable to contact the landowner to see if they would be willing to sell the particular piece of land. In the case of the Council land you should contact –

Asset Management  
Enterprise, Planning and Infrastructure

Business Hub 10  
Second Floor South  
Marischal College  
Broad Street  
AB10 1AB

It is also advisable to contact Planning and Sustainable Development prior to submitting your application for planning advice on acceptability of your proposal.

Planning applications will be assessed in the context of Policy H1 (Residential Areas) of the Aberdeen Local Development Plan which states that proposals for householder development will only be approved if they do not result in the loss of valuable open space. Each planning application for change of use is dealt with on its own individual merits, however in considering whether an application is acceptable the Council will assess the proposal against the following criteria –

- The proposal should not adversely affect amenity space which makes a worthwhile contribution to the character and amenity of the area or contains mature trees that make a significant contribution to the visual amenity of the wider neighbourhood. In most circumstances the amenity ground will make a contribution, however sometimes small incidental areas of ground make little contribution to the appearance of the neighbourhood. For instance it may be acceptable to include within garden ground secluded areas that are not visible from footpaths or roads and that do not make a contribution to the wider visual amenity of the area. Similarly it may be acceptable to include small corners of space that can be logically incorporated into garden ground by continuing existing fence lines.
- The proposal should not fragment or, if replicated, be likely to incrementally erode larger areas of public open space or landscaping.
- The proposal should not worsen or create a deficiency in recreational public open space in the area. The less amenity space there is in an area the more value is likely to be placed on the existing amenity space. The Open Space Audit identifies areas of the city where there is a deficiency and should this be the case there will be a presumption against the granting of planning permission.
- The proposal should not result in any loss of visual amenity including incorporating established landscaping features such as mature trees or trees that make a significant contribution to the area. It is unlikely the Council would support the incorporation and likely loss of such features, however in circumstances where it is acceptable replacement planting to compensate will normally be required.
- The proposal should not result in an irregular boundary layout that would be out of keeping with the otherwise uniform character of the area.

- The proposal should not result in the narrowing of footpath corridors or lead to a loss of important views along such footpaths, making them less inviting or safe to use.
  - The proposal should not prejudice road or pedestrian safety. Areas of amenity space often function as visibility splays for roads and junctions.
  - The proposal should not give rise to the setting of a precedent that would make it difficult to resist similar proposals in the future. Over time the cumulative impact of the loss of separate areas of ground can lead to the gradual erosion of amenity space, which is not in the public interest and can affect the overall amenity and appearance of the area.
- **HOUSES IN MULTIPLE OCCUPATION (HMOs)**

Presently the term House in Multiple Occupation (HMO) is not one commonly associated with the planning system in Scotland. The term is not defined in planning legislation, though Scottish Government Circular 8/2009 does provide some advice on HMOs, suggesting that there may be a role for the planning system in managing HMOs where a material change in the use of a house or flat has taken place. Multiple occupancy can intensify pressure on amenity, particularly with regards to shared/mutual areas and car parking. It is therefore appropriate to ensure that appropriate provision is made prior to granting planning permission for an HMO.

A useful starting point is to clearly identify what constitutes an HMO for the purposes of this Supplementary Guidance. The planning system defines 'dwellinghouse' and 'flat' as detailed below;

*Flat "means a separate and self contained set of premises whether or not on the same floor and forming part of a building from some other part which it is divided horizontally." Part 1 (2) Town and Country Planning (General Permitted Development) (Scotland) Order 1992)*

A house is defined within class 9 (houses) under the Town and Country Planning (Use Classes) (Scotland) Order 1997. This allows for use as;

- a) *A house, other than a flat, whether or not as a sole or main residence, by-*
  - (i) A single person or by people living together as a family; or*
  - (ii) Not more than 5 residents living together including a household where care is provided for residents*
- b) *as a bed and breakfast establishment or guesthouse, where at any one time not more than 2 bedrooms are, or in the case of premises having less than 4 bedrooms, 1 bedroom is, used for that purpose.*



This means that, where more than 5 persons are living together, other than as a family, the premises would not fall within the definition of a 'dwellinghouse' for planning purposes. It is reasonable to use this same threshold as the point at which a material change in the use of premises has occurred, and an application for change of use to form an HMO would be necessary.

Where flats are concerned, planning legislation does not specify any number of residents above which premises will no longer be considered a 'flat' for planning purposes. Given the potential for increased pressure on amenity, particularly in shared/mutual areas and car parking, it is necessary for this guidance to set a threshold above which use will no longer be considered as a 'flat'. HMOs account for a significant proportion of the available rental accommodation in Aberdeen, and are particularly important in supporting the City's sizeable student population. In setting a threshold above which planning permission will be necessary, it is noted that any number of people may live together in a single property, provided they are part of the same family unit. Taking this into account, it is considered that 6 or more unrelated people living together in a flat would be materially different from family use. This will be the threshold used for the purposes of this guidance.

Planning permission will be required for change of use to a House in Multiple Occupation in the following instances;

- 1. The occupation of a house by 6 or more unrelated persons**
- 2. The occupation of a flat by 6 or more unrelated persons**

It is important to note that separate licensing requirements exist for the establishment of an HMO, irrespective of the planning-specific guidance set out in this document. The granting of planning permission does not remove any requirement to obtain the appropriate licence and vice versa. Furthermore, success in obtaining planning permission for use of premises as an HMO does not guarantee a successful license application. It should be noted that, while the term 'HMO' is common to both systems, it has a different meaning depending on the context in which it is used. For licensing purposes, an HMO is defined as any house or flat which is the principal residence of three or more people who are members of three or more families.

This guidance is intended to set the thresholds at which a house or flat will no longer be considered to be in domestic use and will be treated as a House in Multiple Occupation for planning purposes. Having identified where such changes of use take place, it is then necessary to set out the factors which will be considered in assessing any such application.

Proposals involving formation of an HMO as defined in this guidance will be assessed with regard to matters including, but not limited to, the following;

1. Any adverse impact upon pedestrian or road traffic safety as a result of increased pressure on car parking;
2. Significantly adverse impact upon residential amenity for any reason. This may include, but not be limited to, adequate provision of refuse storage space, appropriate provision of garden ground/amenity space, and an appropriate level of car parking.
3. An excessive concentration of HMOs in a given locality, cumulatively resulting in a material change in the character of that area. This will be assessed in consultation with the Council's HMO Unit within the Housing & Environment service, who hold relevant information on the location of existing licensed HMO properties.

Where it is not practicable for dedicated car parking to be provided alongside the development, a proposal must not exacerbate existing parking problems in the local area.

## APPENDIX A: GLOSSARY OF TERMS

**Amenity** - The attributes which create and influence the quality of life of individuals or communities.

**Amenity space** - Areas of open space such as gardens, balconies and roof terraces.

**Article 4 direction** – Some types of development do not need planning permission by virtue of permitted development rights. An Article 4 Direction is an order made by Scottish Ministers which suspends (for specified types of development) the general permission granted under the Town and Country (General Permitted Development) (Scotland) Order 1992 (as amended), thereby removing permitted development rights.

**Bay window** - a window or series of windows forming a bay in a room and projecting outward from the wall externally

**Boundary enclosure** – Boundary treatment such as a fence, wall, hedge, ditch or other physical feature which demonstrates the edges of a site or otherwise encloses parts of that site

**Building line** - The line formed by the frontages of buildings along a street. For the purposes of this guidance, this shall not generally include elements such as the front of any porches, canopies, garages or bay windows.

**Common boundary** – A boundary which is shared by residential properties on either side

**Conditions** – Planning conditions are applied to the grant of planning permission and limit and control the way in which a planning consent may be implemented. Such conditions can require works to be carried out in a certain way (e.g. restriction on opening hours or adherence to an approved tree management plan) or can require submission of further information in order to demonstrate the suitability of technical details (e.g. drainage or landscaping schemes for a new development)

**Conservation Area** – Conservation Areas are areas of special architectural or historical interest, the character or appearance of which it is desirable to preserve or enhance. Such areas are designated by the local planning authority. Details of the Conservation Areas in Aberdeen can be found on the Council's website, [www.aberdeencity.gov.uk](http://www.aberdeencity.gov.uk).

**Conservation Area Consent** – Conservation Area Consent is required for proposals which involve the whole or substantial demolition of any unlisted building or structure in a Conservation Area. Conservation Area Consent is not required for the demolition of a building which has a volume of less than 115 cubic metres, or for the partial demolition of a building, or for minor alterations to gates, walls and fences within a Conservation Area. Demolition

works may, however, require planning permission, and so confirmation should be sought from the planning authority.

**Curtilage** - The land around, and belonging to, a house.

**Daylight** – Diffuse level of background light, distinct from direct sunlight

**Development Plan** – The “Development Plan” is a term used to incorporate both the current Local Plan/Local Development Plan and the current Structure Plan/Strategic Development Plan.

**Dormer Window** – Dormer windows are a means of creating useable space in the roof of a building by providing additional headroom.

**Dwellinghouse** – For the purposes of this guidance, the term “dwellinghouse” does not include a building containing one or more flats, or a flat contained within such a building

**Fenestration** - The arrangement of the windows in a building.

**Gable** - The part of a wall that encloses the end of a pitched roof.

**Habitable rooms** - Includes bedrooms and living rooms, but does not include bathrooms, utility rooms, WCs or kitchens when not accompanied by dining facilities.

**Haffit** – The sides or ‘cheeks’ of a dormer window.

**Hipped Roof** – A four-sided roof having sloping ends as well as sloping sides

**Listed Building** – Working on behalf of Scottish Ministers, Historic Scotland inspectors identify buildings which are worthy of statutory protection. These are ‘Listed Buildings’. The criteria by which the Scottish Ministers define the necessary quality and character under the relevant legislation are broadly; Age and Rarity; Architectural Interest; and Close Historical Association

**Listed building Consent** – Listed Building Consent is obtained through an application process which is separate from, but runs parallel to, that by which planning permission is obtained. This separate regulatory mechanism allows planning authorities to ensure that changes to listed buildings are appropriate and sympathetic to the character of the building. Listed Building Consent must be obtained from the planning authority if you wish to demolish, alter or extend, either internally or externally, a listed building.

**Mansard Roof** – A four-sided roof having a double slope on all sides, with the lower slope much steeper than the upper.

**Material Consideration** - Any issue which relates to the use and development of land and is relevant to the planning process.

**Permitted Development** - an aspect of the planning system which allows people to undertake specified forms of minor development under a deemed grant of planning permission, therefore removing the need to submit a planning application.

**Piended** – scots term for hipped (pronounced peended)

**Planning Authority** – This is the term given to the Council in its role exercising statutory functions under Planning legislation. Authorities have three main planning duties: Development Management (assessing and determining planning applications); Development Planning (preparing, updating and monitoring the authority's Local Plan/Local Development Plan); and Enforcement (seeking to investigate and resolve breaches of planning control)

**Porch** - A covered shelter projecting in front of the entrance of a building.

**Roads Authority** - This is the term given to the Council in its role exercising statutory functions under Roads legislation. Where trunk roads are concerned, Transport Scotland is the relevant roads authority.

**Sunlight** – The sun's direct rays, as opposed to the background level of daylight

**Supplementary Guidance** – Supplementary Guidance is prepared by the planning authority in support of its Local Plan/Local Development Plan. These documents are generally intended to provide greater detail or more specific and focused guidance than might be practicable within the Plan itself.

**Tabling** – A raised horizontal surface or continuous band on an exterior wall; a stringcourse

**Tree Preservation Order** – The planning authority has the powers to make Tree Preservation Orders if it appears to them to be a) expedient in the interest of amenity and/or b) that the trees, groups of trees or woodlands are of a cultural or historical significance. The authority has duties to a) make such TPOs as appear to the authority to be necessary with any grant of planning permission; and b) from time to time to review any TPO and consider whether it is requisite to vary or revoke the TPO.

**Wallhead** – The uppermost section of an external wall.

APPENDIX B: APPLICATION CHECKLIST GUIDE

<b>Have you discussed the proposed works with your neighbours?</b>	
<b>Is planning permission required?</b> Remember, some works can be carried out as 'Permitted Development'	
<b>Is any other form of consent required for the works?</b>	
<b>Have you considered the appointment of an architect, planning consultant or other agent to act on your behalf?</b> Though not mandatory, this can be worthwhile as agents will be familiar with the planning system and should be able to provide the drawings and supporting information to the necessary standards.	
<b>Will any supporting information be necessary to enable the planning authority to make a full assessment of issues relevant to the proposal?</b> For example, are there trees or protected species within the site?	
<b>Is the building a Listed Building or within a Conservation Area?</b> If so, it is recommended that advice is sought from the planning authority prior to submission in order to gauge the potential impact on these designations.	
<b>Have you considered your proposal in relation to the guidance contained within the Householder Development Guide?</b> Any proposal for householder development will be assessed against this Supplementary Guidance	
<b>Is the proposed design consistent with the character of the property and the surrounding area?</b>	
<b>Would the development proposed result in any significant adverse impact on your neighbours in terms of loss of light, overshadowing and/or privacy?</b>	
<b>Would the proposed development result in an insufficient provision of amenity space/private garden?</b>	
<b>Have any changes to access and/or parking requirements been discussed with the Council in its role as Roads Authority?</b>	

## APPENDIX C: DAYLIGHT AND SUNLIGHT

### Daylight

It is appropriate to expect that new development will not adversely affect the daylighting of existing development. Residents should reasonably be able to expect good levels of daylighting within existing and proposed residential property.

A useful tool in assessing the potential impact of proposed development upon existing dwellings is the BRE Information Paper on 'Site Layout Planning for Daylight'. This document sets out techniques which can be applied as a means of assessing the impact of new development upon daylighting. These techniques should only be applied to "habitable rooms", which for the purposes of this guidance shall mean all rooms designed for living, eating or sleeping eg. lounges, bedrooms and dining rooms/areas. Kitchens without dining areas are not considered as habitable rooms.

For domestic extensions which adjoin the front or rear of a house, the 45° method will be applied in situations where the nearest side of the extension is perpendicular (at right-angles to) the window to be assessed. The 45° method is not valid for windows which directly face the proposed extension, or for buildings or extensions proposed opposite the window to be assessed. In such instances, the 25° method, also detailed below, may be appropriate.

It should be noted that these guidelines can only reasonably be applied to those buildings which themselves are good neighbours, standing a reasonable distance from the boundary and taking only their fair share of light. Existing windows which do not meet these criteria cannot normally expect the full level of protection. It is important to note that these tools will be used as and when the planning authority deems it appropriate due to a potential impact on daylight to an existing dwelling. The results of the relevant daylighting assessment will be a material consideration in the determination of an application, and should not be viewed in isolation as the sole determining factor.

#### **The 45° Method for daylight**

This method involves drawing 45° lines from the corner of a proposed building or extension in both plan and section views. If the shape formed by **both** of these lines would enclose the centre point of a window on an adjacent property, the daylighting to that window will be adversely affected.

### DIAGRAM 1: 45° METHOD

The line drawn at 45° would pass through the mid-point of the window on elevation drawing, but not on the plan. This extension would therefore satisfy the 45° method for daylighting assessment. Were the proposal to fail on both diagrams, it is likely there would be an adverse affect on daylight to the adjacent window of the neighbouring property.




Fig A: Elevation view





Fig B: Plan view

### The 25° Method


The 25° method should be applied in situations where existing windows would directly face the proposed building or extension. Firstly, a section should be drawn, taken from a view at right angles to the direction faced by the windows in question. On this section, a line should be drawn from the mid-point of the lowest window, 25° to the horizontal, towards the obstructing building or extension. If the proposed building or extension is entirely below this line, it is unlikely to have a substantial effect on the diffuse daylighting of the existing building. Where the 25 degree approach is not satisfied, it will be for the planning authority to make a judgement on the degree of impact upon an adjacent dwelling.



**DIAGRAM 2: 25° METHOD**



**Fig A: Proposed extension may result in loss of daylight to adjacent window of a habitable room**



**Fig B: Proposed extension would not result in loss of daylight to adjacent window of a habitable room**

Both diagrams show line drawn from mid-point of affected window, at 25° to the horizontal.

**Sunlight**

In many instances, extensions to residential property will have at least some effect on the level of direct sunlight which falls on adjacent land or buildings. Where such overshadowing is excessive, substantial areas of land or buildings may be in shade for large parts of the day, resulting in a significant impact on the level of amenity enjoyed by residents. It is therefore helpful to have some means by which an assessment of any potential overshadowing can be made.



The method used involves drawing a line at 45 degrees to the horizontal. This line will begin at a point above ground level on the relevant boundary. The height above ground level will be determined by the orientation of the proposed building or structure relative to the affected space, as shown in the table opposite;

Orientation of extension relative to affected space	Height from which 45 degree line should be taken
N	4m
NE	3.5m
E	2.8m
SE	2.3m
S	2m
SW	2m
W	2.4m
NW	3.3m

This method is intended as a tool to assist case officers in their assessment of potential overshadowing, and it is important that this be applied sensibly and with due regard for the context of a particular site. Where a proposal is not able to satisfy the requirements of the relevant test, it will then be appropriate for officers to consider other factors relevant to the likely impact on amenity. These will include, but will not be limited to: the proportion of amenity space/garden affected; the position of the overshadowed area relative to windows (of habitable rooms) of an adjacent property; and the nature of the space affected (e.g. overshadowed driveway).

**Example 1:** In this example (right), the proposed extension would be located to the East of the neighbouring garden ground. A point 2.8m above ground level, on the site boundary, is found. From this point, a line is drawn at 45 degrees to the horizontal.


The diagram in Example 1 shows that the line drawn would not strike any part of the proposed extension, and therefore for the purposes of this test there would be no adverse affect on sunlight to the neighbouring garden.



**Example 2:** In this second example (left), the proposed extension would be constructed to the south of the adjacent garden ground. The same process is followed, but in this instance the line is drawn from a point 2m above ground level.

As the first diagram shows, the proposed extension would intersect the 45 degree line drawn. This suggests that there would be an area of adverse overshadowing in the neighbouring garden as a result of this proposal.

The second diagram demonstrates the area of adjacent garden ground which would be affected in plan view. This allows the case officer to make an assessment of the proportion of garden affected relative to the total useable garden area. As mentioned previously, the nature of the affected area will also be of relevance in



determining whether there is justification in allowing a proposal which does not satisfy the 45 degree test for sunlight. There will be instances where proposals will be approved on this basis.

## **Appendix D: Privacy**

New development should not result in significant adverse impact upon the privacy afforded to neighbouring residents, both within dwellings and in any private garden ground/amenity space. What constitutes an acceptable level of privacy will depend on a number of factors. The purpose of this guide is not to create a rigid standard which must be applied in all instances, but rather to set out the criteria which will be taken into account in determining the impact of a particular development.

It is common practice for new-build residential development to ensure a separation distance of 18m between windows where dwellings would be directly opposite one another. Given the application of this distance in designing the layout of new residential development, it would appear unreasonable to then apply this to residential extensions to those same properties.

Assessment of privacy within adjacent dwellings will therefore focus upon the context of a particular development site, taking into account the following factors:

- existing window-to-window distances and those characteristic of the surrounding area;
- any existing screening between the respective windows;
- appropriate additional screening proposed
- respective site levels
- the nature of the respective rooms (i.e. are windows to habitable rooms); and
- orientation of the respective buildings and windows.

Any windows at a distance of 18m or more will not be considered to be adversely affected through loss of privacy. At lesser distances, the factors stated above will be considered in order to determine the likely degree of impact on privacy. For the purposes of this guidance, habitable rooms constitute all rooms designed for living, eating or sleeping eg. lounges, bedrooms and dining rooms/areas.

Any windows to habitable rooms should not look out directly over, or down into, areas used as private amenity space by residents of adjoining dwellings. In these circumstances the windows of non-habitable rooms should be fitted with obscure glass.

The addition of balconies to existing residential dwellings will require careful consideration of their potential impact upon privacy. Such additions, if poorly considered, can result in significant overlooking into adjacent gardens. Any

proposed balcony which would result in direct overlooking of the private garden/amenity space of a neighbouring dwelling, to the detriment of neighbours' privacy, will not be supported by the planning authority.